

SSO Notification List												
March 2010												
Serial No.	Date of Occurrence	Location	Zip Code	Reason	Stream Affected	Duration (Hrs:Min)	Time	Description of Discharge	Est. Quantity of Discharge (gallons)	Measures taken to Minimize Discharge	Preventive Action to Stop Recurrence	Work Order #
1	3/1/2010	2407 Everton Road	21209	Rags & Grease	Jones Falls	3:35	5:55 PM-9:30 PM	Rags & Gray Water	645	Relieved M/L Choke with Pressure Jet	Turned over to be CCTV'ed	106304
2	3/2/2010	1501 Ashburton Street	21216	Rags	Gwynns Falls	1:20	8:32 AM - 9:52 AM	Heavy Gray Water	80	Relieved HC Choke with Electric Machine	Turned over to be CCTV'ed	106326
3	3/2/2010	3440 Park Heights Ave	21215	Rags & Roots	Gwynns Falls	3:00	10:30 AM - 1:30PM	Heavy Gray Water	360	Relieved M/L Choke with Pressure Truck	Turned over to be CCTV'ed	106341
4	3/3/2010	403 Old Orchard Road	21229	Rags, Roots & Grease	Gwynns Falls	2:00	12:00 PM - 2:00 PM	Heavy Gray Water	600	Relieved M/L Choke with Pressure Truck	Turned over to be CCTV'ed	106404
5	3/3/2010	2500 W North Avenue	21216	Rags, Roots & Grease	Gwynns Falls	2:00	2:39 PM - 4:39 PM	Heavy Gray Water	600	Relieved M/L Choke with Pressure Truck	Turned over to be CCTV'ed	106414
6	3/4/2010	921 E. Fort Ave	21230	Rags, Debris & Grease	Inner Harbor	1:54	5:08 PM - 7:02 PM	Sewer Water	Evidence of Overflow	Relieved M/L Choke with Pressure Jet	Turned over to be CCTV'ed	106475
7	3/5/2010	14 Hillside Road	21210	Rags, Trash & Roots	Jones Falls	0:25	2:33 PM - 2:58 PM	Gray Water	50	Relieved M/L Choke with Pressure Truck	Routine Maintenance	106499
8	3/5/2010	2404 Ken Oak Road	21209	Rags, Trash & Sand	Jones Falls	0:12	12:30 PM - 12:42 PM	Gray Water	24	Relieved M/L Choke with Pressure Truck	Routine Maintenance	106496
9	3/7/2010	403 Old Orchard Road	21229	Routine Maintenance	Gwynns Falls	24:00	3/7/10 10:00 AM to 3/8/10 10:00 AM	Heavy Rain Water	7,200	Relieved M/L Choke with Pressure Truck	Turned over to be CCTV'ed	106560
10	3/7/2010	4705 Melbourne Road	21229	Rags	Inner Harbor	1:46	5:23 PM - 7:09 PM	Gray Water	530	Relieved M/L Choke with Pressure Truck	To be CCTV'ed & Routine Maintenance	106564
11	3/8/2010	2417 Puget Street	21230	Rags, Debris & Grease	Inner Harbor	7:53	11:16 AM - 7:09 PM	Sewer Water, Grease & Paper Debris	2,365	Relieved M/L Choke with Pressure Jet	Turned over to be CCTV'ed	106597
12	3/9/2010	401 Edgevale Road	21210	Rags & Grease	Jones Falls	2:00	9:28 Am - 11:28 AM	Heavy Gray Water	600	Relieved M/L Choke with Pressure Truck	Turned over to be CCTV'ed	106625
13	3/9/2010	4909 Morello Road	21214	Rags & Grease	Herring Run	1:21	6:54 PM - 8:15 PM	Sewer Water	405	Relieved M/L Choke with Pressure Jet	Turned over to be CCTV'ed	106672
14	3/10/2010	106 Woodlawn Rd	21210	Rags, Roots & Grease	Jones Falls	1:31	10:29 AM - 12:00 PM	Heavy Gray Water	273	Relieved M/L Choke & HC with Pressure Truck	Turned over to be CCTV'ed	106704
15	3/10/2010	1723 Baker Street	21217	Grease	Jones Falls	1:05	7:55 PM - 9:00 PM	Sewer Water & Grease	650	Relieved M/L Choke with Pressure Jet	Turned over to be CCTV'ed	106731

Serial No.	Date of Occurrence	Location	Zip Code	Reason	Stream Affected	Duration (Hrs:Min)	Time	Description of Discharge	Est. Quantity of Discharge (gallons)	Measures taken to Minimize Discharge	Preventive Action to Stop Recurrence	Work Order #
16	3/13/2010	401 E Eager Street	21202	Heavy Rain & Grease	Jones Falls	18:00	3/13/10 1:30 PM to 3/14/10 7:30 PM	Gray Colored Water	216,000	Waited for Heavy Rain to Subside	Manholes to be checked Regularly & CCTV'ed	68365
17	3/15/2010	510 Woodside Road	21229	Rags & Grease	Gwynns Falls	2:00	7:13 PM - 9:13 PM	Heavy Gray Water	240	Relieved M/L Choke with Pressure Truck	Turned over to be CCTV'ed	106941
18	3/15/2010	1813 Falls Road	21201	Heavy Rain	Jones Falls	7:30	2:00 PM - 9:30 PM	Gray Colored Water	8,100	Waited for Heavy Rain to Subside	Manholes to be checked Regularly	98546
19	3/16/2010	2235 Rogene Drive	21209	Rags & Sand	Jones Falls	18:34	3/16/10 6:46 PM to 3/17/10 1:20 PM	Heavy Gray Water	2,228	Relieved HC Choke with Pressure Truck	Turned over to be CCTV'ed	106929
20	3/16/2010	2407 Everton Rd	21209	Rags & Debris	Jones Falls	27:33	3/16/10 10:27 AM to 2/17/10 2:00 PM	Heavy Gray Water	3,306	Relieved M/L Choke with Pressure Truck	Turned over to be CCTV'ed	106958
21	3/17/2010	403 Old Orchard Road	21229	Pipe Break	Gwynns Falls	16:00	7:51 PM - 11:51 AM	Heavy Gray Water	4,800	Relieved M/L Choke with Pressure Truck	Turned over to be CCTV'ed	106989
22	3/18/2010	518 N. Loudon Ave	21229	Rags & Grease	Gwynns Falls	3:22	2:58 PM - 6:20 PM	Sewer Water, Grease & Paper Debris	1,010	Relieved M/L Choke with Pressure Jet	Turned over to be CCTV'ed	107073
23	3/18/2010	3699 Cardenas Ave	21213	Rags & Roots	Herring Run	2:15	9:30 AM - 11:45 AM	Rags & Gray Water	2,025	Relieved M/L Choke with Pressure Jet	Removed Roots and Rags with Cutter	107055
24	3/19/2010	733 E. 22nd Street	21218	Rocks	Jones Falls	3:20	3:25 PM - 6:45 PM	Sewer Water & Paper Debris	Evidence of Overflow	Relieved M/L Choke with Pressure Truck	Turned over to be CCTV'ed	107128
25	3/19/2010	1104 Wood Heights Ave	21211	Rags & Grease	Jones Falls	22:00	3/19/10 - 4:48 PM to 3/20/10 - 2:48 PM	Heavy Gray Water	1,320	Relieved HC Choke with Electric Machine	Turned over to be CCTV'ed	107078
26	3/23/2010	5400 Falls Road	21210	Rags & Roots	Jones Falls	0:30	12:00 PM - 12:30 PM	Gray Water	90	Relieved M/L Choke with Pressure Truck	Turned over to be CCTV'ed	107261
27	3/24/2010	2570 Marbourne Ave	21230	Rags & Roots	Inner Harbor	5:25	1:00 PM - 6:25 PM	Sewer Water & Paper Debris	Evidence of Overflow	Relieved M/L Choke with Cleaning Machine	Turned over to be CCTV'ed	107314
28	3/25/2010	823 N. Charles Street	21201	Grease	Inner Harbor	5:36	2:39 PM - 8:15 PM	Sewer Water, Feces, Grease & Paper Debris	3,360	Relieved M/L Choke with Pressure Truck	Turned over to be CCTV'ed	107366
29	3/27/2010	3018 Overland Avenue	21214	Heavy Rain, Sand, Gravel & Rocks	Herring Run	2:30	12:00 PM - 2:30 PM	Trash & Debris	300	Relieved M/L Choke with Pressure Truck	Turned over to be CCTV'ed	107428
30	3/28/2010	117 Beechdale Road	21210	Heavy Rain & Roots	Jones Falls	0:30	9:05 AM - 9:35 AM	Small Amount of Debris	Evidence of Overflow	Relieved M/L Choke with Pressure Truck	Turned over to be CCTV'ed	107438
31	3/30/2010	4400 W. Northern Pkwy	21215	Rags & Roots	Jones Falls	1:20	11:30 AM - 12:50 PM	Heavy Gray Water	400	Relieved M/L Choke with Pressure Truck	Turned over to be CCTV'ed	107520
								TOTAL	257,561			